

according to Regulations REACh 1907/2006/EC

REF: 91328	QUANTOFIX Formaldehyde	Page: 1/11
Printing date: 20.07.2023	Date of issue: 26.01.2023	Version: 2.2.2.5

SECTION 1: Identification of the substance/mixture and of the company

1.1	Product identifier				
	REF	91328			
	Product name	QUANTOFIX Formaldehyde			
	•	substance(s) does not exist because the annual tonnage does not require registration or			
	the substance or its use is ex	cluded from registration.			
	1 x 100 test strips				
	2 x 25 mL HCHO-1	UFI: 1MAV-U314-T205-DEXY			
1.2	Relevant identified uses of	f the substance or mixture and uses advised against			
	Relevant identified uses				
	Product for analytical use.				
	Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0 The exposure scenario is integrated into sections 1-16.				
		liagnostic use (IVD) or Accessory for medical use			
	Uses advised against	lagnostic use (IVD) of Accessoly for medical use			
	not described				
1.3	Details of the supplier of t	ne safety data sheet			
	Manufactured by:				
	MACHEREY-NAGEL GmbH &	ColKG			
	Valencienner Str. 11, 52355 D				
	Phone: +49 2421 969 0	E-mail: sds@mn-net.com (msds@mn-net.com)			
1.4	Emergency telephone nun	shor			
1.4					
	DE: Gemeinsames Giftinforma	our regional Poisons Information Service or call local Life Saving Service. tionszentrum (GGIZ) 31 730 730, <https: www.ggiz-erfurt.de=""></https:>			
	99089 Enum tel +49.30				
	99089 Erfurt tel. +49 36	1 730 730, <iiiips. www.ggiz-enun.de=""></iiiips.>			

SECTION 2: Hazard identification

2.0 Classification of the complete product according to Regulation (EC) 1272/2008

	GHS05
Signal word	DANGER
Hazard identification	Hazard classes/categories
H314	Skin Corr. 1 B

2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008 25 mL HCHO-1





MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com



according to Regulations REACh 1907/2006/EC

REF: 91328	QUANTOFIX Formaldehyde	Page: 2/11
Printing date: 20.07.2023	Date of issue: 26.01.2023	
Signal word	DANGER	
Hazard identification	Hazard classes/categories	
H314	Skin Corr. 1 B	
100 test strips		
Signal word	Do not need labelling as hazardous -	
No hazard class		

List of H phrases: see section 16.2

2.2 Label elements according regulation (EC) 1272/2008

According CLP directive inner packages must be only labelled with GHS symbol(s) and product identificator(s) (EU 1272/2008 Annex I - 1.5.1.2)

25 mL HCHO-1



Signal word: DANGER H314

Causes severe skin burns and eye damage. P260sh, P264, P280sh, P303+361+353, P305+351+338, P310, P405, P501

Do not breathe dust/vapours.Wash hands thoroughly after handling.Wear protective gloves/eye protection.IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.Store locked up.Dispose of contents/container to regulated waste treatment.

100 test strips

Do not need labelling as hazardous Signal word: -

Label elements of the complete product



Signal word: DANGER H314 Causes severe skin burns and eye damage. P260sh, P264, P280sh, P303+361+353, P305+351+338, P310, P405, P501 Do not breathe dust/vapours.Wash hands thoroughly after handling.Wear protective gloves/eye protection.IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower] IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.Store locked up.Dispose of contents/container to regulated waste treatment.

2.3 Other hazards

Possible hazards from physicochemical properties

Generally in the case of pH values are less than 2 or higher than 11.5 then it is corrosive.

Information pertaining to particular risks to human and possible symptoms

Causes varying degrees of acid burns on the skin, to the eyes and to the mucous membranes and wounds which do not heal quickly depending on the concentration, temperature and the exposure time. Vapours especially which steam from hot liquids and mist can have a severe irritant effect upon the eyes and the respiratory organs.



DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



according to Regulations REACh 1907/2006/EC

REF: 9132		QUANTOFIX Formaldehyde	Page: 3/11
Printing da	ate: 20.07.2023	Date of issue: 26.01.2023	Version: 2.2.2.5
	Avoid contact of substance, PBT: vPvB: Possible endocrine disru no data available	not applicable not applicable pting effects	
	Substances or 3.2 Mixtu	information on ingredients	
/. 1			
	25 mL HCHO-1 Substance name: CAS No.:	sodium hydroxide solution 1310-73-2	
	Substance rating: Formula: Pseudonym (de): REACH Reg. No.: EC No.: Concentration: acc. CLP (GHS):	H314, Skin Corr. 1 B NaOH•H ₂ O Natronlauge 01-2119457892-27-xxxx 215-185-5 20 - <35 % H314, Skin Corr. 1 B	011-002-00-6
	100 test strips Substance name: CAS No.:	PVC foil (CAS 9002-86-2)	
	Substance rating: Concentration: acc. CLP (GHS):	- No criteria for classification or naming of chemical not require 95 - <100 % The criteria for classification are not fulfilled.	ed.
	Substance name: CAS No.:	<i>cellulose paper</i> 9004-34-6	
	Substance rating: Formula: REACH Reg. No.: EC No.: Concentration: acc. CLP (GHS):	No criteria for classification or naming of chemical not require (C $_6$ H $_{10}$ O $_5$) n exempt, Annex IV 232-674-9 1 - <10 % The criteria for classification are not fulfilled.	ed.
	Substance name: CAS No.:	chemicals/mixture until 1% -	
	Substance rating: Concentration: acc. CLP (GHS):	No criteria for classification or naming of chemical not require $0,1$ - <1 $\%$ The criteria for classification are not fulfilled.	ed.

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.List of H and P phrases: see section 16.2.

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Remove contaminated clothing. Show product package, packing insert and this material safety data sheet to the doctor.

4.1.1 After SKIN Contact

Remove dust with wetted tissue. Remove contaminated clothing immediately. Rinse the affected skin or mucous membrane thoroughly for min. 15 minutes under running water. (If possible) use soap. Avoid neutralisation. Then apply a loose bandage.



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
- US Tel.: +1 888 321 62 24 sales-us@mn-net.com



according to Regulations REACh 1907/2006/EC

REF: 91328	QUANTOFIX Formaldehyde	Page: 4/11
Printing date: 20.07.2023	Date of issue: 26.01.2023	Version: 2.2.2.5

4.1.2 After EYE Contact

Rub dust with teardrops from eyes or: After contact with the eyes rinse thoroughly under running water with the eyelid wide open for min. 10 minutes with eye washing bottle, eye douche or running water (protect intact eye). Before (if possible) apply eye drops Proxymetacaine 0.5%, if the opening the eyelid convulsion is painful. Further treatment to be carried out by an eye specialist.

4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. If vomiting and if insensible place patient in recovery position and keep airways free. After inhalation of dust fresh air should be inhaled. ---

4.1.4 After ORAL Intake

After oral intake lots of water with activated charcoal supplement should be drunk after it has been ingested. Do not induce vomiting under any circumstances. Do not make any efforts to neutralise it. Contact medical advice for possible consequences.

4.2 Most important symptoms and effects, both acute and delayed

Rapid penetration and destruction of the skin. Especially in the heated form. Causes severe skin burns and eye damage.

4.3 Indication of any immediate medical attention and special treatment needed

CORROSIVE DAMAGE: After SKIN CONTACT rinse with water for a long time. Efforts to neutralise the substance can frequently make matters worse. Apply glucocorticosteroides following inflammatory reactions. After EYE CONTACT rinse immediately with plenty of water for a long time. Eyelid convulsion measures. Name the corrosive chemical. Further treatment must to be carried out by an eye specialist. After INTAKE administer aluminium oxide drug suspensions. Administer a prophylaxis to counter pulmonary oedema following the INGESTION of corrosive aerosols. In the event of RESPIRATORY DISTREES ensure that the patient inhales oxygen. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.1.2 Unsuitable extinguishing media

no data available

5.2 Special hazards arising from the substance or mixture

Formation of hazardous and caustic vapour-air mixtures possible.

5.3 Advice for firefighters

Product package burns like paper or plastic. Spray any vapours released with water. Retent fire water. Use only acid-resistant safety equipment.

For great amount - if necessary - protective breathing apparatus which is independent of the ambient air (isolated equipment), and sealed protective clothing is necessary in the event of a large-scale formation of toxic substances.

5.4 Additional information

Danger for environment only in the event of a large-scale leakage or formation of hazardous substances.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear suitable protective gloves (see 8.2.2). Wear eye protection, respectively face protection. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

6.2 Environmental precautions

Avoid contact of substance/mixture to environment. **PBT:** not applicable **vPvB:** not applicable

6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals. Clean any contaminated equipment and floors with plenty of water. Collect small amounts of leaked liquid and flush with water into drains.

6.4 Reference to other sections

see information in section 5.4,7,8 and 13



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com DE Tel.: +49 24 21 969-0 info@mn-net.com

- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 - FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com



according to Regulations REACh 1907/2006/EC

REF: 9	91328 g date: 20.07.2023	QUANTOFIX Formaldehyc Date of issue: 26.01.2023	le	Page: 5/11 Version: 2.2.2.5
				VEISION. 2.2.2.0
	FION 7: Handling and stor	•		
7.1	Precautions for safe handling Handling in accordance with the test	ng instruction, that comes with the product		
7.2	-	, including any incompatibiliti		
	-	ginal packaging . Storage class (German 8B 1		
7.2.1	•	Requirements for stock rooms and containers Keep original product packages tightly closed during handling and storage. Use inbreakable container for transport of glass bottles.		
7.3	Specific end use(s)	Specific end use(s)		
	Product for analytical use. If CE labelling: Product for in-vitro-diagnostic use (IVD) or Accessory for medical use			
SEC	FION 8: Exposure control	s /personal protection		
8.1	Control parameters			
	DNEL = Derived No-Effect Lev	h] 1 mg/m³ el (for workers)	CAS No.: 1310-73-2	
	E/e	ng/m ³ e respirable		
		ι =, Υ) · sensitizable (Sa), skin sensitizable (Sh), teratoge e mg/m³	nic (Z) not securely excluded / (Y) certainly exclu	uded
	[TWA] Time-weighted average	mg/m ³ to a reference period of 8 hours, [STEL] Short-ter WA] 2 mg/m ³	m exposure limit related to a 15-minute period	
	100 test strips Chemical: PVC foil (CAS 90	<i>102-86-2)</i>	CAS No.: -	
	Chemical: <i>cellulose paper</i> TRGS 900 (DE): Str	aub 1.25 A / 4 E mg/m³ e respirable	CAS No.: 9004-34-6	
	SUVA(CH) MAK value: 3 a NIOSH: TV [TWA] Time-weighted average	a ppm VA 10 (total) / 5 (resp) mg/m³ to a reference period of 8 hours, [STEL] Short-ter	m exposure limit related to a 15-minute period	
	OSHA: TV Chemical: chemicals/mixture	VA 15 (total) / 5 (resp) mg/m³ e <i>until 1%</i>	CAS No.: -	
8.2	Exposure controls			
0.2	The highest level of cleanliness must	t be maintained at the workplace.		
8.2.1	Respiratory protection No additional recommendations.			
8.2.2	Skin protection / Hand protection Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Anse or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.			
8.2.3	Eye / Face Protection Yes, safety glasses according E	N 166 with integrated side shields or wr	ap-around protection or face protectior	I.
8.2.4	Skin protection Recommended to avoid clothing	damage, and to avoid contamination w	ith these hazards.	
8.2.5	with the skin, eyes and clothing.	g snuff and storage of food in work areas Rinse any clothing on which the substa when stopping work and before eating, a	nce has been spilled, and soak it in wa	



CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com



Safety Data Sheet

REF: 9	1328	QUANTOFIX Formaldehyde	Page: 6/11
Printin	g date: 20.07.2023	Date of issue: 26.01.2023	Version: 2.2.2.5
8.2.6	Thermal hazards no data available		
3.3	Limitation and monitoring of en Do not release product into environment.	vironmental exposure	
SECT	TION 9: Physical and chemica	al properties	
9.1	Information on basic physical a	nd chemical properties	
	 25 mL HCHO-1 a) State of aggregation: b) Colour: c) Odor: d) Melting point: e) Boiling point: f) Flammability: g) Explosive limits (lower / upper): h) Flash point: i) Flashing temperature: j) Decomposition temperature: k) pH value: l) Kinematic viscosity: m) Solubility in water: n) Dispersion coefficient (o/w) : o) Vapour pressure (20°C): p) Specific gravity: q) Relative vapour density (air=1) : r) Particle size: 	liquid colourless odorless no data available no data available no data available no data available no data available no data available 14 no data available 0-100 % no data available 1,35 g/mL no data available no data available	
	 100 test strips a) State of aggregation: b) Colour: c) Odor: d) Melting point: e) Boiling point: f) Flammability: g) Explosive limits (lower / upper): h) Flash point: i) Flashing temperature: j) Decomposition temperature: k) pH value: l) Kinematic viscosity: m) Solubility in water: n) Dispersion coefficient (o/w): o) Vapour pressure (20°C): p) Specific gravity: q) Relative vapour density (air=1): r) Particle size: 	solid colored odorless no data available no data available	

Properties relevant to substance groups Substances are highly corrosive.

SECTION 10: Stability and reactivity

10.1 Reactivity

no further data available.

10.2 **Chemical stability**



- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
- US Tel.: +1 888 321 62 24 sales-us@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



REF: 91328 Printing date: 20.07.2023		QUANTOFIX Formaldehy Date of issue: 26.01.2023		Page: 7/11 Version: 2.2.2.5
	no known instability.			
0.3	-	ardous reactions organic material. No further data available.		
0.4	Conditions to ave	bid		
).5	Incompatible main no additional data avai			
).6		nposition products		
		all parts/all reagents are safety and separated store	d. Decompositions are not observed o	luring the expiration
ECT	ION 11: Toxicol	ogical information		
1.1		e hazard classes according regulation		
	Following information 25 mL HCHO-1	n is valid for pure substances. Quantitative data or	the toxicity of this product are not av	ailable.
	Chemical: TSCA Inventory: Exposure Routes: Target Organs: Symptoms: Australia NICNAS Japan CSCL/PRT Japan ISHL: South Korea TCC	inhalation, ingestion, skin and/or eye con Eyes, skin, respiratory system irritation eyes, skin, mucous membrane; not listed Canada CE R: not listed, Japan PDSCL: not listed listed ≥1,0%/≥1,0%, Article 57-2 (SDS re	oneumonitis; eye, skin burns; tempora PA 1999: DSL Yes	
	100 test strips Chemical: TSCA Inventory:	PVC foil (CAS 9002-86-2) listed	CAS No.: -	
	Chemical:	cellulose paper	CAS No.: 9004-34-	6
	TSCA Inventory: Exposure Routes: Target Organs: Symptoms: Australia NICNAS Japan CSCL/PRT Japan ISHL: South Korea TCC Korea Exist.Chem LD50 orl rat : LC50 ihl rat :	listed California Proposit inhalation, skin and/or eye contact Eyes, skin, respiratory system irritation eyes, skin, mucous membrane not listed Canada CE R: not listed, Japan PDSCL: not listed not listed	on 65 List: not listed PA 1999: DSL yes	
	Chemical: TSCA Inventory: Korea Exist.Chem	<i>chemicals/mixture until 1%</i> all listed, <1% Inventory: listed	CAS No.: -	
1.2	Other hazards			
1.4		ne disrupting effects		
	no data available			

Other information



Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

MACHEREY-NAGEL GmbH & Co. KG DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com



according to Regulations REACh 1907/2006/EC

no additional data available CCTION 12: Ecological information 1 Toxicity Following information is valid for pure substances. 25 mL HCHO1 Columbia Chemical: Softmane/mixture to environment. LC50 Budsensi Idea/86h : 45.4 mg/L EC50 deptinal/46h : LC50 Indicess Idea/86h : 45.4 mg/L EC50 deptinal/46h : LC50 deptinal/46h : Year Storage class (VCI): 8 B 100 test strips CAS No.: 142 Chemical: <i>PVC foil (CAS 9002-86-2)</i> CAS No.: - Chemical: <i>cellulose paper</i> CAS No.: - Chemical: <i>cellulose paper</i> CAS No.: - Chemical: <i>cellulose paper</i> CAS No.: - Water hazard class (DE): mg Storage class (VCI): 11 Chemical: <i>chemicals/mixture until 1%</i> CAS No.: - Water hazard class (DE): 1 1 1 Chemical: <i>chemicals/mixture until 1%</i> CAS No.: - 1 Storage class (VCI): 12-13 1 1 <	REF: 9		QUANTOFIX Formaldeh	
CTION 12: Ecological information 1 Toxicity Following information is valid for pure substances. 2 Bulk CHO-1 Chemical: sodium hydroxide solution Avoid contact of substance/mixture to environment. LC50 fearbiestics/Biol 1 CAS No.: 1310-73-2 2 Avoid contact of substance/mixture to environment. LC50 fearbiestics/Biol 1 As Mg/L ECS0 daphnia/shi: 100 fest strips Chemical: PVC foil (CAS 9002-86-2) CAS No.: - Chemical: cellulose paper Water hazard class (DE): 11 100 fest strips Chemical: cellulose paper Water hazard class (DE): 12 CAS No.: - Chemical: cellulose paper Water hazard class (DE): 13 11 CAS No.: - Chemical: cellulose paper Water hazard class (DE): 14 CAS No.: - Water hazard class (DE): 15 11 CAS No.: - Chemical: cellulose paper Water hazard class (DE): 14 CAS No.: - Water hazard class (DE): 15 12 CAS No.: - Water hazard class (DE): 15 12 CAS No.: - Water hazard class (DE): 15 14 CAS No.: - Water hazard class (DE): 16 12 CAS No.: - 7 Results of PBT and vPvB assessment This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very pers and very bioaccumulative (vPvB) at levels of 0.1% or higher 6 6 En	Printing	g date: 20.07.2023	Date of Issue: 26.01.202	3 Version: 2.2.2.5
1 Toxicity Pollowing information is valid for pure substances. 25 mL HCHO-1 Chemical: sodium hydroxide solution CAS No.: 1310-73-2 Avoid contact of substance/mixture to environment. LCS0 lexides. 35-189 mg/L LCS0 betwiden: 35-189 mg/L Storage class (VCI): 45.4 mg/L ECS0 depinant48h: >100 mg/L Water hazard class (VCI): 8 B 100 test strips Chemical: PVC foil (CAS 9002-86-2) CAS No.: - Chemical: cellulose paper CAS No.: 9004-34-6 Water hazard class (DE): 11 Chemical:: cellulose paper Chemical: cellulose paper CAS No.: - CAS No.: - Water hazard class (DE): 11 Chemical: cellulose paper Storage class (VCI): 12-13 CAS No.: - - Persistence and degradability not necessary CAS No.: - - Bioaccumulative potential not necessary - - Mobility in soil not necessary - - Results of PBT and vPvB assessment This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very		no additional data av	/ailable	
Following information is valid for pure substances. 25 mL HCHO-1 Chemical: sodium hydroxide solution CAS No.: 1310-73-2 Avoid contact of substance/mixture to environment. LC50 leuciscus idua/96h : 35-189 mg/L LC50 fib./96h :: 45.4 mg/L EC50 dephile/48h : >100 mg/L Water hazard class (DE): 1 WGK No.: 142 Storage class (VCI): 8 B 100 test strips Chemical: cellulose paper CAS No.: - CAS No.: - Chemical: cellulose paper CAS No.: - Chemical: cellulose paper CAS No.: - Vater hazard class (DE): 11 Chemical: chemicals/mixture until 1% CAS No.: - CAS No.: - Vater hazard class (DE): 1 12.13 Storage class (VCI): 12.13 20 Persistence and degradability not necessary GAS No.: - - 3 Bioaccumulative potential not necessary not necessary - 4 Mobility in soil not necessary - - - 5 Results of PBT and vPvB assessment This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very pers and very bioaccumulative (vPvB) at levels of 0.1% or higher - - <tr< td=""><td>ECT</td><td>ION 12: Ecologica</td><td>al information</td><td></td></tr<>	ECT	ION 12: Ecologica	al information	
Chemical: sodium hydroxide solution CAS No.: 1310-73-2 Avoid contact of substance/mixture to environment. LC50 leucisus dus/96h 35-189 mg/L LC50 febreiceus dus/96h 45.4 mg/L EC50 dephnia/48h LC50 febreiceus dus/96h 45.4 mg/L EC50 dephnia/48h EC50 dephnia/48h >100 mg/L Water hazard class (DE): 1 WGK No.: 142 Storage class (VCI): 8 B EC50 dephnia/48h 100 test strips Chemical: cellulose paper CAS No.: - Chemical: cellulose paper CAS No.: 9004-34-6 Water hazard class (DE): 11 Chemical: cellulose paper Vater hazard class (DE): 11 CAS No.: - Water hazard class (VCI): Vater hazard class (VCI): 12-13 CAS No.: - Water hazard class (VCI): 2 Persistence and degradability not necessary CAS No.: - 3 Bioaccumulative potential not necessary 4 Mobility in soil not necessary 5 Results of PBT and vPvB assessment This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very pers and very bioaccumulative (vPvB) at levels of 0.1%	2.1	•	s valid for pure substances.	
Chemical: PVC foil (CAS 9002-86-2) CAS No.: - Chemical: cellulose paper CAS No.: 9004-34-6 Water hazard class (DE): nwg Storage class (VCI): 11 Chemical: chemicals/mixture until 1% CAS No.: - Water hazard class (DE): 1 12-13 Casses Persistence and degradability not necessary not necessary Bioaccumulative potential not necessary Mobility in soil not necessary Results of PBT and vPvB assessment This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very pers and very bioaccumulative (vPvB) at levels of 0.1% or higher Feedocrine disrupting properties no data available		Chemical: Avoid contact of sub LC50 leuciscus idus/96ł LC50 fish/96h : EC50 daphnia/48h : Water hazard class	stance/mixture to environment. 1: 35-189 mg/L 45.4 mg/L >100 mg/L (DE): 1 WGK No.: 142	CAS No.: 1310-73-2
Water hazard class (DE): nwg Storage class (VCI): 11 Chemical: chemicals/mixture until 1% CAS No.: - Water hazard class (DE): 1 Storage class (VCI): 12-13 2 Persistence and degradability not necessary 12-13 3 Bioaccumulative potential not necessary not necessary 4 Mobility in soil not necessary not necessary 5 Results of PBT and vPvB assessment This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very pers and very bioaccumulative (vPvB) at levels of 0.1% or higher 6 Endocrine disrupting properties no data available		•	PVC foil (CAS 9002-86-2)	CAS No.: -
 Water hazard class (DE): 1 Storage class (VCI): 12-13 Persistence and degradability not necessary Bioaccumulative potential not necessary Mobility in soil not necessary Mobility in soil not necessary Results of PBT and vPvB assessment This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very pers and very bioaccumulative (vPvB) at levels of 0.1% or higher Endocrine disrupting properties no data available 		Water hazard class	(DE): nwg	CAS No.: 9004-34-6
 not necessary Bioaccumulative potential not necessary Mobility in soil not necessary Results of PBT and vPvB assessment This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very pers and very bioaccumulative (vPvB) at levels of 0.1% or higher Endocrine disrupting properties no data available 		Water hazard class	(DE): 1	CAS No.: -
 not necessary Mobility in soil not necessary Results of PBT and vPvB assessment This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very pers and very bioaccumulative (vPvB) at levels of 0.1% or higher Endocrine disrupting properties no data available 	2.2		∋gradability	
 not necessary Results of PBT and vPvB assessment This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very pers and very bioaccumulative (vPvB) at levels of 0.1% or higher Endocrine disrupting properties no data available 	2.3	•	otential	
 This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very pers and very bioaccumulative (vPvB) at levels of 0.1% or higher Endocrine disrupting properties no data available 	2.4	•		
no data available	2.5	This substance/mixture c	contains no components considered to be either pe	ersistent, bioaccumulative and toxic (PBT) or very persistent
7 Other adverse effects	2.6	•	ng properties	
no additional data available	2.7			
CTION 13: Disposal considerations	БЕСТ	ION 13: Disposal	considerations	

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

13.1 Waste treatment methods

SECTION 14: Transport information

14.1. UN number: 3316 14.2. UN proper shipping	name: Chemical Kit				
14.3. Class: 9					
14.4. Packing group:	11				
Road transport ADR					
Classification code:	M11 Tunne	l restriction code:	E		
Limited Quantity:	acc. ADR 3.3.1/251:	see LQ in Alternative	declaration	for transportation	
Air transport IATA DGŔ				·	
Limited Quantity:	PAX:	960		max. quantity PAX:	10 KG
	CAO:	960		max. quantity CAO:	10 KG
Maritime transport IMDG					
EmS:	F-A, S-P	Staukategor	ie:	А	



Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

MACHEREY-NAGEL GmbH & Co. KG DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 91328	QUANTOFIX Formaldehyde	Page: 9/11
Printing date: 20.07.2023	Date of issue: 26.01.2023	Version: 2.2.2.5

Or use Alternative declaration for transportation: UN No.: (see below) class 8 II, Excepted Quantities (≤30 mL/∑≤500 mL) = ADR/ IATA E2 or

14.1 UN number:326614.2 UN proper shipping r14.3 Class:814.4 Packing group:	name: Corrosive liquid, II	basic, inorganic, n.o.s. (sc	odium	hydroxide solution)
Road transport ADR				
Classification code:	C5			
Limited Quantity:	1 L	Tunnel restriction cod	e:	E
Excepted Quantity:	E 2			
Air transport IATA DGR				
Limited Quantity:	PAX: 851	max. quantity PAX:	1 L	
,	CAO: 855	max. quantity CAO:	30 L	
Excepted Quantity:	E 2			
Maritime transport IMDG				
EmS:	F-A, S-B	Staukategorie:	В	

14.5 Environmental hazards

none

14.6 Special precautions for user not necessary

14.7 Carriage in bulk by sea in accordance with IMO instruments Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020

Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017

TRGS 201, Classification and labeling of activities involving hazardous substances, Feb 2017

TRGS 220, National aspects when preparing safety data sheets, Jan 2017

TRGS 400, Risk assessment for activities involving hazardous substances, Jul 2017

TRGS 401, Skin contact hazard - identification, assessment, action, Jun 2008, status: Feb 2011

BekGS 408, Application of the GefStoffV and the TRGS with the entry into force of the CLP regulation, December 2009, status: Jan 2012

TRGS 500, Protective measures, Mai 2008

TRGS 510, Storage of hazardous substances in portable containers from March 2013, status: Oct 2015

Chapter 4, Measures when storing hazardous substances up to 50 kg (small quantity regulation)

Wasserhaushaltsgesetz - WHG, Section 3 Handling substances hazardous to water, Jul 2009, status: Aug 2016

MN leaflet/instructions for use, also at www.mn-net.com If necessary, observe other country-specific regulations.

15.2 Chemical safety assessment

not necessary for these small amounts

SECTION 16: Other information

16.1 Changes compared to the last version

Between versions 2.2.2.5 and 2.2.2.2 following changes were applied: - 3 substance data corrected

16.2 List of H and P phrases

16.2.1 List of relevant H phrases

H314 Causes severe skin burns and eye damage.

16.2.2 List of relevant P phrases



DE Tel.: +49 24 21 969-0 info@mn-net.com

- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com



according to Regulations REACh 1907/2006/EC

REF: 91328 Printing date: 20.07.2023		QUANTOFIX Formaldehyde	Page: 10/11		
		Date of issue: 26.01.2023	Version: 2.2.2.5		
	P260sh P264 P280sh P303+361+353 P305+351+338 P310 P405 P501	Do not breathe dust/vapours. Wash hands thoroughly after handling. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse IF IN EYES: Rinse cautiously with water for several minutes. Remove conta do. Continue rinsing. Immediately call a POISON CENTER/doctor. Store locked up. Dispose of contents/container to regulated waste treatment.			
16.3	Recommended restriction on use				
	Look about employee r	ser. estrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)! estrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE § of this product or test kit has a moderate hazardous potential.	§ 11-13 MuSchG 2017)!		
16.4	Sources of key data				
	atmospheres SUVA .CH, limit values Regulation 790/2009/E Regulation 453/2010/E Regulation 487/2013/E Regulation 1221/2015/E	Alinimum requirements to improve the safety and health protection of workers at in the air at work 2009, revised on 01/2009 U, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1 U, adaptation of the REACH regulation 1907/2006/EG U, adaptation of regulation 1272/2008/EG to technical and scientific progress (4 EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (1 U, adaptation of regulation 1272/2008/EG to technical and scientific progress (1 U, adaptation of regulation 1272/2008/EG to technical and scientific progress (1	Ist ATP) th ATP) 7th ATP)		
	Regulation 1480/2018/I Regulation 521/2019/E TRGS 900, German rul Regulation 217/2020/E Regulation 878/2020/E Regulation 1182/2020/I Regulation 643/2021/E Regulation 849/2021/E	U, adaptation of Regulation 1272/2008/EC to technical and scientific progress Te EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (U, adaptation of regulation 1272/2008/EG to technical and scientific progress (les of technology on limit values in the air at work, as of 03/2019 U, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and U, adaptation of Annex II of the REACH regulation 1907/2008/EC to technical and U, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and U, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and U, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and U, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and U, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and U, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and U, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and	13th ATP) 2th ATP) scientific progress (14th ATP) d scientific progress (15th ATP) scientific progress (16th ATP) scientific progress (17th ATP)		
	2	2014-02 Corrected structure of the sections according to Regulation 453/2010/E0 2014-04 adjustment according Regulation 487/2013/EU 2016-03 adjustment according Regulation 1221/2015/EU	U, if necessary		

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.6 Legend / Abbreviations

- acc:
 according

 ADR:
 Convention concerning the International Carriage of Dangerous Goods by Road

 Act:
 acute
- BAT: biological workplace tolerance value
- CAO: Cargo Aircraft Only
- Carc: carcinogen
- CAS: Chemical Abstracts Service
- CLP: Classification, Labelling and Packaging regulation
- CMR: carcinogen, mutagen, reproduction toxic
- Corr: corrosive
- COD: chemical oxigen demand
- CSCL: Chemical Substance Control Law (Jp)



 MACHEREY-NAGEL GmbH & Co. KG
 DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 Valencienner Str. 11
 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com

 52355 Düren · Germany
 FR
 Tel.: +33 388 68 22 68
 sales-fr@mn-net.com

 www.mn-net.com
 US
 Tel.: +1 888 321 62 24
 sales-us@mn-net.com

according to Regulations REACh 1907/2006/EC

REF: 91328	QU	ANTOFIX Formaldehyde	Page: 11/11 Version: 2.2.2.5
Printing date: 20.07.	2023 Dat	e of issue: 26.01.2023	
Dam:	damage		
DNEL:	Derived No-Effect Level (for workers)		

Dam:	damage
DNEL:	Derived No-Effect Level (for workers)
derm:	dermal
dog:	dog
EC10:	Concentration causing a toxic effect in 10% of the test organisms
EC:	European Community
EC-Nr:	Substance number of the EC substance inventory
EmS:	Guide to accident management measures on ships
EU:	European Union
fish:	fish (not spezified)
GHS:	Global Harmonized System of Classification and Labeling of Chemicals
gpg:	guinea pig
ICAO:	International Civil Aviation Organization
ihl:	inhaled
IMDG:	International Maritime Dangerous Goods Code
intrav:	intravenous
ipt:	intraperitonaeal
ISHL:	Industrial Safety and Health Law (Jp)
LC50:	letale concentration 50%
LD50:	letale dosis 50%
leuciscus idus	
MAK:	maximum workplace concentration
Met:	Metall
mus:	mouse
Muta:	
NIOSH:	mutagen National Institute for Occupational Safety and Health (US)
NRD:	Non-rapidly degradable
onchorhynchu	
orl:	oral
OSHA:	Occupational Safety and Health Administration
PAX:	
PBT:	transport on passenger planes allowed
	persistent, bioaccumulating, toxic substance pH value
pH:	
pimephales pi	
PNEC:	Predicted No Effected Concentration
PROC 15:	Process category 'for laboratory use'
PRTR:	Law for PRTR and Promotion of Chemical Management (Jp)
PVC:	polyvinyl chloride
quail:	bird, quail
rat:	rat
rbt:	rabbit
RD:	rapidly degradable
RE:	repeated
REACh:	Registration, Evaluation, Authorisation and Restriction of Chemicals
REF:	item number, reference number
Reg.No.:	
Repr:	rRegistration number
	rRegistration number harmful to reproduction
Resp:	rRegistration number harmful to reproduction respiratory
	rRegistration number harmful to reproduction respiratory REACH Implementations Projects
Resp:	rRegistration number harmful to reproduction respiratory
Resp: RIP: scu: SDS:	rRegistration number harmful to reproduction respiratory REACH Implementations Projects sub cutan safety data sheet
Resp: RIP: scu: SDS: Sens:	rRegistration number harmful to reproduction respiratory REACH Implementations Projects sub cutan safety data sheet sensitisation
Resp: RIP: scu: SDS: Sens: STEL:	rRegistration number harmful to reproduction respiratory REACH Implementations Projects sub cutan safety data sheet sensitisation short term exposure limit
Resp: RIP: scu: SDS: Sens: STEL: STOT:	rRegistration number harmful to reproduction respiratory REACH Implementations Projects sub cutan safety data sheet sensitisation short term exposure limit Specific Target Organ Toxicity
Resp: RIP: scu: SDS: Sens: STEL:	rRegistration number harmful to reproduction respiratory REACH Implementations Projects sub cutan safety data sheet sensitisation short term exposure limit
Resp: RIP: scu: SDS: Sens: STEL: STOT: SVHC: t/a:	rRegistration number harmful to reproduction respiratory REACH Implementations Projects sub cutan safety data sheet sensitisation short term exposure limit Specific Target Organ Toxicity Substance of Very High Concern tons per year
Resp: RIP: scu: SDS: Sens: STEL: STOT: SVHC:	rRegistration number harmful to reproduction respiratory REACH Implementations Projects sub cutan safety data sheet sensitisation short term exposure limit Specific Target Organ Toxicity Substance of Very High Concern
Resp: RIP: scu: SDS: Sens: STEL: STOT: SVHC: t/a: TCCA: Tox:	rRegistration number harmful to reproduction respiratory REACH Implementations Projects sub cutan safety data sheet sensitisation short term exposure limit Specific Target Organ Toxicity Substance of Very High Concern tons per year Toxic Chemicals Control Act (S. Korea) toxic
Resp: RIP: scu: SDS: Sens: STEL: STOT: SVHC: t/a: TCCA: Tox: TSCA:	rRegistration number harmful to reproduction respiratory REACH Implementations Projects sub cutan safety data sheet sensitisation short term exposure limit Specific Target Organ Toxicity Substance of Very High Concern tons per year Toxic Chemicals Control Act (S. Korea) toxic The Toxic Substances Control Act (US)
Resp: RIP: scu: SDS: Sens: STEL: STOT: SVHC: t/a: TCCA: Tox:	rRegistration number harmful to reproduction respiratory REACH Implementations Projects sub cutan safety data sheet sensitisation short term exposure limit Specific Target Organ Toxicity Substance of Very High Concern tons per year Toxic Chemicals Control Act (S. Korea) toxic
Resp: RIP: scu: SDS: Sens: STEL: STOT: SVHC: t/a: TCCA: TCCA: Tox: TSCA: TWA: TRGS:	rRegistration number harmful to reproduction respiratory REACH Implementations Projects sub cutan safety data sheet sensitisation short term exposure limit Specific Target Organ Toxicity Substance of Very High Concern tons per year Toxic Chemicals Control Act (S. Korea) toxic The Toxic Substances Control Act (US) time weighted average technical regulations (DE)
Resp: RIP: scu: SDS: Sens: STEL: STOT: SVHC: t/a: TCCA: TCCA: Tox: TSCA: TWA:	rRegistration number harmful to reproduction respiratory REACH Implementations Projects sub cutan safety data sheet sensitisation short term exposure limit Specific Target Organ Toxicity Substance of Very High Concern tons per year Toxic Chemicals Control Act (S. Korea) toxic The Toxic Substances Control Act (US) time weighted average

16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com
 DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com

 FR
 Tel.: +33 388 68 22 68
 sales-fr@mn-net.com

 US
 Tel.: +1 888 321 62 24
 sales-us@mn-net.com